

Marble's Standard Tang Peep Sight Chart

Rifle Make	Rifle Model	Marble's Sight	MidwayUSA Product #	Marble's Imp Base	MidwayUSA Product #	Marble's Screw	MidwayUSA Product #
American Arms	1874 Sharps	009816	110-318	991001	995-425	995027	185-836
Ballard	Single Shots	009827	112-775	991021	777-685	995025	585-772
Browning	71	009828	118-327	991030	121-240	995023	520-551
Browning	71LT	009822	118-334	991015	112-275	995007	915-087
Browning	78	009813	118-542	991001	995-425	995026	878-609
Browning	1885 with upper tang	009800	818-667	991001	995-425	995033	147-122
Browning	1885 without tang	009813	118-542	991001	995-425	995026	878-609
Browning	1886	009806	122-704	991015	112-275	995013	556-528
Browning	1892 tang safety	009802	465-055	991035	119-169	995024	526-620
Browning	1892	009824	114-804	991001	995-425	995007	915-087

Rifle Make	Rifle Model	Marble's Sight	MidwayUSA Product #	Marble's Imp Base	MidwayUSA Product #	Marble's Screw	MidwayUSA Product #
Browning	1895 Japan	009814	122-864	991025	198-514	995007	915-087
Browning	1895 Original	009815	125-036	991025	198-514	995017	851-178
Cimarron	1866	009811	130-024	991001	995-425	995006	818-346
Cimarron	1873	009832	130-657	991001	995-425	995010	152-014
Colt Lightning	Small Frame	009831	131-607	991011	547-639	995029	460-577
EMF	1874 Sharps	009836	446-302	991001	995-425	995032	364-104
Glenfield	30	009804	686-681	991025	198-514	995015	363-314
Henry	22 Golden Boy	009833	131-854			995001	225-414
Marlin	25 Original	009827	112-775	991021	777-685	995025	585-772
Marlin	27 Original	009827	112-775	991021	777-685	995025	585-772
Marlin	29 Original	009827	112-775	991021	777-685	995025	585-772

Rifle Make	Rifle Model	Marble's Sight	MidwayUSA Product #	Marble's Imp Base	MidwayUSA Product #	Marble's Screw	MidwayUSA Product #
Marlin	30 AW	009805	123-620	991025	198-514	995015	363-314
Marlin	30 AS	009805	123-620			995015	363-314
Marlin	39 Original, 1897	009827	112-775	991021	777-685	995025	585-772
Marlin	39 AS	009804	686-681	991020	124-755	995015	363-314
Marlin	336	009805	123-620	991025	198-514	995015	363-314
Marlin	444 SS	009805	123-620	991025	198-514	995015	363-314
Marlin	1892 Original	009827	112-775	991021	777-685	995025	585-772
Marlin	1893	009829	133-764	991021	777-685	995025	585-772
Marlin	1894 Original	009829	133-764	991021	777-685	995025	585-772
Marlin	1894 Cowboy	009804	686-681	991020	124-755	995015	363-314
Marlin	1894 Cowboy II	009804	686-681	991020	124-755	995015	363-314

Rifle Make	Rifle Model	Marble's Sight	MidwayUSA Product #	Marble's Imp Base	MidwayUSA Product #	Marble's Screw	MidwayUSA Product #
Marlin	1894S	009804	686-681			995015	363-314
Marlin	1894 CS	009804	686-681			995015	363-314
Marlin	1895 G	009805	123-620	991025	198-514	995015	363-314
Marlin	1895 SS	009805	23-620	991025	198-514	995015	363-314
Marlin	1897 Original	009827	112-775			995025	585-772
Marlin	1897 CB	009804	686-681	991020	124-755	995015	363-314
Marlin	1897 Annie Oakley	009834	134-151	991020	124-755	995015	363-314
Remington	Rolling Block	009819	135-512	991011	547-639	995001	225-414
Remington	Hepburn	009819	135-512			995001	225-414
Rossi	59, 62	009818	138-738	991001	995-425	995005	347-872
Rossi	1892	009807	140-573	991001	995-425	995002	239-307
Savage	1899	009840	140-614			995025	585-772

Rifle Make	Rifle Model	Marble's Sight	MidwayUSA Product #	Marble's Imp Base	MidwayUSA Product #	Marble's Screw	MidwayUSA Product #
Taylor Arms	1874 Sharps	009836	446-302	991001	995-425	995032	364-104
Uberti	1866	009811	130-024			995006	818-346
Uberti	Henry	009825	145-246	991001	995-425	995028	630-157
Uberti	1873	009832	130-657	991001	995-425	995006	818-346
Uberti	1885	009851	818-667	991001	995-425	995033	147-122
Uberti	1892	009820	146-045	991001	995-425	995006	818-346
Uberti	Rolling Block	009826	137-294	991011	547-639	995001	225-414
Winchester	53	009808	174-097	991001	995-425	995003	735-034
Winchester	55	009808	174-097	991001	995-425	995003	735-034
Winchester	62	009803	163-762	991001	995-425	995018	560-662
Winchester	64	009808	174-097	991001	995-425	995003	735-034
Winchester	65	009808	174-097	991001	995-425	995003	735-034

Rifle Make	Rifle Model	Marble's Sight	MidwayUSA Product #	Marble's Imp Base	MidwayUSA Product #	Marble's Screw	MidwayUSA Product #
Winchester	71	009828	118-327	991030	121-240	995023	520-551
Winchester	71 LT	009817	168-948	991015	112-275	995021	699-034
Winchester	1866	009809	170-710	991001	995-425	995004	716-445
Winchester	1873	009809	170-710	991001	995-425	995004	716-445
Winchester	1876	009801	618-343	991015	112-275	995019	228-273
Winchester	1885 Current Production Hi-Wall	009800	818-667	991001	995-425	995001	225-414
Winchester	1885 Original	009821	174-037	991001	995-425	995021	699-034
Winchester	1886 Current Production	009806	122-704	991015	112-275	995013	556-528
Winchester	1886 Original	009801	618-343	991015	112-275	995019	228-273
Winchester	1886 Tang Safety	009810	174-127	991030	121-240	995022	418-927
Winchester	1890	009803	163-762			995018	560-662

Rifle Make	Rifle Model	Marble's Sight	MidwayUSA Product #	Marble's Imp Base	MidwayUSA Product #	Marble's Screw	MidwayUSA Product #
Winchester	1892 Original	009808	174-097	991001	995-425	995003	735-034
Winchester	1892 Tang Safety	009802	465-055	991035	119-169	995024	526-620
Winchester	1894 Except .22 Cal	009808	174-097	991001	995-425	995003	735-034
Winchester	1895 Tang Safety	009814	122-864	991025	198-514	995007	915-087
Winchester	1906	009803	163-762			995018	560-662
Winchester	9422 (.22 Magnum)	009837	145-010	991021	777-685	995001	225-414
Winchester	9422 (.22 LR)	009812	174-687	991020	124-755	995001	225-414
Winchester	1885 Current Production Low Wall	009830	180-159	991020	124-755	995001	225-414

Tang Peep Sight Installation

1. Sight in gun with factory sights to 100 yards.
2. Adjust peep tang sight so that you are in the middle of the adjustment- windage and elevation.
3. Place peep tang sight on tang so that when looking through peep sight aperture, all sights are in alignment.
4. Mark the holes; #009800 hole spacing is 2.185" center to center.
5. Make sure you are center (left to right) on the tang.

6. Remove stock and put gun in vise.
7. Center punch holes.
8. Recheck for center alignment.
9. Drill with undersize drill, in case you are not center. Drill size #32 or smaller for both holes.
10. Now that you are center, drill with #21 drill bit and tap with a #10-32 tap.
11. Keep chips from entering gun by using a heavy tap oil when tapping.
12. Remove chips and mount sight.
13. In some cases, screws may need to be shortened.
14. Remove gun from vise and reinstall stock.

